

MODEL FL-25 – 25,000LB CAPACITY

FOUR POST RUNWAY FORK LIFT SERVICE LIFT

**Because Quality Made
Lifts Last a Lifetime**



(800) 833-2006 • www.mohawklifts.com

 **MOHAWK**

Americas Best Lift Investment...

Still proudly designed, welded
and manufactured in the U.S.A.



MODEL FL-25

HEAVY DUTY LIFTS FOR... HEAVY DUTY SERVICE

25,000 LB. FOUR POST RUNWAY FORK LIFT SERVICE LIFT



Two-handed safety release disengages all locks.



Optional 3rd wheel ramp available for 3 wheel forklifts.



Mohawk mechanical locks engage the full length of travel.



Large 5" cylinder with leaf chain drive system eliminates stretch, fray, pulleys and maintenance associated with cable driven lifts.



Approach ramps fold down out of the way when raised to act as a secondary automatic wheel stop.

ABOVE GROUND DESIGN...

- No pits & no in-ground cylinders
- Quick & easy installation
- Allows complete undercarriage access
- 5'9" + lifting height
- Adjustable 24" wide runways accommodate all forklifts
- Custom lifts available

COMPARE DESIGN, SAFETIES AND FEATURES...

- Runways made from three parallel 8" I beams
- Heavy duty 7"x5" structural steel cross-rails
- Large 10"x6" top rail is reversible to either side
- Chain drive = **NO STRETCH OR FRAY** like cable lifts
- Specially designed, double sealed, self lubricating, hardened steel rollers at all chain pivot points

UNPARALLELED SAFETY SYSTEMS

- Multi-position mechanical locks in all four posts
- Hydraulic safeties using pressure compensated flow control valves and tamper-proof velocity fuses
- Single position, two hand release for safe lowering
- Mechanical chain synchronization
- The heaviest construction of any competitive lift

OTHER MOHAWK LIFTS



TWO-POST LIFTS

- 11 models
- Capacities from 7,000 to 30,000 lbs
- ALI Certified Lifts
- Clear floor design – no obstructions
- Easily adjustable overhead stainless steel hydraulic lines or optional in-floor lines
- Low profile swing arms



Model 75-35-S



PARALLELOGRAM LIFTS

- Capacities range from 36,000 to 100,000 lbs.
- Track lengths available from 26' to 48'
- Surface, flush or pit mounted

FOUR-POST LIFTS

- 10 Models
- Capacities range from 19,000 to 120,000 lbs.
- Track lengths available 13 to 60 feet
- Superior safety systems with multi-position mechanical safety locks in all 4 posts



Model TR-50

MOBILE COLUMN LIFTS

- Per column capacity rating of 18,000 to 30,000 lbs. per post
- Capacities range from 36,000 to 240,000 lbs.
- Easily positioned by one person
- Turn any flat area into a productive work bay



Model MP-18-030


MOHAWK LIFT OPTIONS



Shown: TR-50 Accessory #050-050-062



Shown: TR-50 Accessory #050-050-039



Tire Dolly Model TD-1000AH

Mohawk's Rolling Jacks for wheels-free tire & brake service

Shatterproof Fluorescent Track Lighting illuminates vehicle undercarriage



www.facebook.com/mohawklifts



Mohawk Resources, LTD.

P.O. Box 110
65 Vrooman Ave
Amsterdam, NY 12010
(800) 833-2006
(518) 842-1431
FAX: (518) 842-1289

www.mohawklifts.com

AVAILABLE UNDER DISCOUNTED GOVERNMENT CONTRACT IN ALL 50 STATES



GSA contract #GS-07F-207AA



DISTRIBUTED BY: